

BOOKS

Adlaf, E.M. (2002). *Highlights from the 2001 Ontario student drug use survey: Epidemiological trends in drug abuse*. Community Epidemiological Work Group, December 2001. Bethesda, MD: National Institute of Health.

Adlaf, E.M. & Chesnut, C.A. (2002). *Cayman Islands student drug use survey 2000: Highlights*. Cayman Islands: National Drug Council & Centre for Addiction and Mental Health.

Adlaf, E.M. & Ialomiteanu, A. (2002). *CAMH Monitor eReport: Addiction and mental health indicators among Ontario adults in 2001, and changes since 1977*. Toronto: Centre for Addiction and Mental Health.

Adlaf, E.M., Paglia, A. & Beitchman, J.H. (2002). *The mental health and well-being of Ontario students, 1991-2001: Findings from the OSDUS* (CAMH Research Document Series No. 11). Toronto: Centre for Addiction and Mental Health.

Babor, T., Caetano, R., Casswell, S., Edwards, G., Giesbrecht, N., Graham, K., Grube, J., Gruenewald, P., Hill, L., Holder, H., Homel, R., Osterberg, E., Rehm, J., Room, R. & Rossow, R. (2002). *Alcohol, no ordinary commodity: Research and public policy*. Oxford: Oxford University Press.

Kelly, J., Skinner, W., Turner, N., Wiebe, J., Noonan, G. & Falkowski-Ham, A. (2002). *Project Weathervane: Measuring gambling behaviours, knowledge and attitudes in Ontario*. Guelph: Ontario Problem Gambling Research Centre. Available: www.gamblingresearch.org/download.sz/weathervane%20Kelly.pdf?docid=1523

Khanlou, N., Beiser, M., Cole, E., Freire, M., Hyman, I. & Kilbride, K. (2002). *Mental health promotion among newcomer female youth: Post-migration experiences and self-esteem / Promotion de la santé mentale des jeunes immigrantes: Expériences et estime de soi post-migratoires*. Ottawa: Status of Women Canada (English and French versions).

Segal, Z.V., Williams, J.M.G. & Teasdale, J.D. (2002). *Mindfulness-based cognitive therapy for depression: A new approach to the prevention of depressive relapse*. New York: Guilford Press.

Sieswerda, L. & Adlaf, E.M. (2002). *Student drug use in northwestern Ontario: Results of the Northwestern Ontario student drug use survey 1997-2001*. Thunder Bay: Thunder Bay District Health Unit.

Turner, N., Littman-Sharp, N., Zangeneh, M. & Spence, W. (2002). *Winners: Why do some develop gambling problems while others do not?* (A report to the Ministry of Health and Long-Term Care). Guelph: Ontario Problem Gambling Research Centre. Available: www.gamblingresearch.org/download.sz/winners%20Turner.pdf?docid=1521

Warner, J. (2002). *Craze: Gin and debauchery in an age of reason*. New York: Four Walls Eight Windows.

Zangeneh, M., Haydon, E., Koenig, S., Nouroozifar, M. & Sorkin, R. (2002). *Assessment of the need for more counselling/clinical psychology graduate programs in Toronto*. Toronto: Professional Advanced Services Press.

BOOK CHAPTERS

Bercovitz, K., Ferrence, R. & Waller, B. (2002). Smoking. In D. Stewart, A. Cheung, L. Ferris, I. Hyman, M. Cohen & J. Williams (Eds.), *Ontario women's health status report* (pp. 254-268). Toronto: Ontario Women's Health Council.

Demchyshyn, L.L., O'Dowd, B.F. & George, S.R. (2002). Structure of mammalian D1 and D5 dopamine receptors and their function and regulation in cells. In A. Sidhu, M. Laruelle & P. Vernier (Eds.), *Dopamine receptors and transporters* (pp. 1-20). New York: Marcel Dekker.

Erickson, P., Butters, J. & German, B. (2002). Flexing crack in Toronto: A deviant pathway for poor, homeless drug users. In S. Brochu, C. da Agra & M. Cousineau (Eds.), *Drug and crime: Deviant pathways* (pp. 155-165). Aldershot, UK: Ashgate.

Fischer, B., Room, R. & Ala-Leppilampi, K. (2002). Control of cannabis use in western countries: A brief review of history and present. In Ministry of Justice, The Hague (Ed.), *European City Conference on cannabis policy* (Conference book) (pp. 37-42). The Hague: Ministry of Justice.

Graham, K. & Wells, S. (2002). Mutual versus one-sided physical aggression: Findings from a general population survey of aggression among adults. In S.P. Shohov (Ed.), *Advances in psychology research* (Vol. 16) (pp. 95-111). New York: Nova Science Publishers.

Greenberg, L.S., Korman, L.M. & Paivio, S. (2002). Emotion in humanistic psychotherapy. In D. Cain & J. Seeman (Eds.), *Handbook of humanistic psychotherapies* (pp. 499-532). Washington, DC: APA Press.

Guttman, M., Alpay, M., Chouinard, S., Como, P., Feinstein, A., Lerio, I. & Rosenblatt, A. (2002). Clinical management of psychosis and mood disorders in Huntington's disease. In M.-A. Bedard, Y. Agid, S. Chouinard, S. Fahh, A. Korczyn & P. Lesperance (Eds.), *Mental and behavioral dysfunction in movement disorders* (pp. 409-416). Totowa, New Jersey: Humana Press.

Hong, W.K., Tyndale, R.F., Spitz, M., Wu, X., Wei, Q. & Hittelman, W. (2002). The biology of tobacco and smoking. In M.C. Perry (Ed.), *American Society of Clinical Oncology education book* (pp. 4-23). Baltimore: Lippincott Williams and Wilkins.

Jackson, D.N. & Tremblay, P.F. (2002). The six factor personality questionnaire. In B. DeRaad & M. Perugini, (Eds.), *Big five assessment* (pp. 353-375). Göttingen: Hogrefe & Huber.

Kaufman, P. (2002). Community values and planning. In J. Birkeland (Ed.), *Design for sustainability: A sourcebook of integrated ecological solutions* (pp. 105-108). London, UK: Earthscan.

LaPrairie, C., Gliksman, L., Erickson, P., Wall, R. & Newton-Taylor, B. (2002). Drug treatment courts: A viable option for Canada? In L. Harrison, F. Scarpitti, M. Amir & S. Einstein (Eds.), *Drug courts: Current issues and future perspectives* (pp. 83-114). Huntsville, TX: Office of International Criminal Justice.

- Lunsky, Y. & Havercamp, S.** (2002). Mental health and women with intellectual disabilities. In P. Noonan Walsh & T. Heller (Eds.), *Women's health and women with intellectual disabilities* (pp. 59–75). Oxford: Blackwell Publishing.
- Macciardi, F.** (2002). Statistical approaches in psychopharmacogenetics. In B. Lerer (Ed.), *Pharmacogenetics of psychotropic drugs* (pp. 72–91). Cambridge University Press.
- Masellis, M., Basile, V.S., Gubanov, A. & Kennedy, J.L.** (2002). Psychiatric pharmacogenetics: Prediction of treatment outcomes in schizophrenia. In J. Licinio & M.-L. Wong (Eds.), *Pharmacogenomics: The search for individualized therapies* (pp. 369–378). Germany: Wiley-VCH Verlag GmbH Weinheim.
- Meyer, J.H.** (2002). Brain serotonergic abnormalities in affective disorders. In J.C. Soares (Ed.), *Brain imaging in affective disorders* (pp. 90–100). New York: Marcel Dekker.
- Mundo, E. & Kennedy, J.L.** (2002). Alternative phenotypes and the pharmacogenetics of mood and anxiety disorders. In B. Lerer (Ed.), *Pharmacogenetics of psychotropic drugs* (pp. 283–299). Cambridge: Cambridge University Press.
- Ozdemir, V., Basile, V.S., Masellis, M., Muglia, P. & Kennedy, J.L.** (2002). Pharmacogenomics and personalized therapeutics in psychiatry. In K. Davis, D. Charney, J. Coyle & C. Nemeroff (Eds.), *Neuropsychopharmacology: The fifth generation of progress* (pp. 495–506). New York: Lippincott Williams & Wilkins.
- Ozdemir, V., Kashuba, A.D.M., Basile, S.V. & Kennedy, J.L.** (2002). Pharmacogenetics of psychotropic drug metabolism. In B. Lerer (Ed.), *Pharmacogenetics of psychotropic drugs* (pp. 157–180). Cambridge: Cambridge University Press.
- Pauls, D.L., Mundo, E. & Kennedy, J.L.** (2002). The pathophysiology and genetics of obsessive compulsive disorder. In K. Davis, D. Charney, J. Coyle & C. Nemeroff (Eds.), *Neuropsychopharmacology: The fifth generation of progress* (pp. 1609–1609). New York: Lippincott Williams & Wilkins.
- Potkin, S.G., Kennedy, J.L. & Basile, V.S.** (2002). Combining brain imaging and pharmacogenetics in understanding clinical response in Alzheimer's disease and schizophrenia. In B. Lerer (Ed.), *Pharmacogenetics of psychotropic drugs* (pp. 391–397). Cambridge: Cambridge University Press.
- Rehm, J.** (2002). Alkoholkonsum und gesamt mortalität und morbidität: Gibt es positive auswirkungen eines moderaten regelmässigen alkoholkonsums? In M.V. Singer & S. Teyssen (Eds.), *Kompandium alkohol* (pp. 447–457). Heidelberg: Springer.
- Rehm, J., Gschwend, P., Brun, S., Uchtenhagen, A. & Lezzi, S.** (2002). Verweildauer und austritte in der heroingestützten behandlung von 1994 bis 2000. In M. Rihs-Middel, N. Jacobshagen & A. Seidenberg (Eds.), *Ärztliche verschreibung von betäubungsmitteln: Praktische umsetzung und wichtigste ergebnisse* (pp. 239–244). Bern: Huber.
- Rehm, J. & Single, E.** (2002). Reasons for and effects of low risk drinking guidelines. In G. Buhringer (Ed.), *Strategien und projekte zur reduktion alkoholbedingter storungen* (pp. 78–90). Lengerich, Germany: Pabst.
- Saperson, K. & Young, L.T.** (2002). Antidepressants in bipolar disorder: A review of efficacy. In L.N. Yatham, V. Kusumakar & S. Kutcher (Eds.), *Bipolar disorder: A clinician's guide to biological treatments* (pp. 183–200). New York: Brunner-Routledge.
- Sproule, B.** (2002). Substance abuse. In B. Mueller, K. Bertch, T. Dunsworth, S. Fagan, M. Hayney, M. O'Connell, G. Schumock, D. Thompson, J. Tisdale, D. Witt. & B. Zarowitz (Eds.), *Pharmacotherapy self-assessment program: Book 7: Neurology psychiatry* (4th ed.) (pp. 133–166). Kansas City: American College of Clinical Pharmacy.
- Swerdlow, R.H. & Kish, S.J.** (2002). Mitochondria in Alzheimer's disease. In Donald S. Dwyer (Ed.), *International review of neurobiology* (pp. 341–385). Burlington MA: Academic Press.
- Toner, B.B. & Casati, J.** (2002). Diseases of the digestive system. In N. Perry, S.B. Johnson & R. Rozensky (Eds.), *Medical disorders and behavioral applications* (pp. 283–305). Washington, DC: American Psychological Association.
- Toner, B.B. & Tang, T.N.** (2002). Chronic pelvic pain. In H.P. Drutz, S. Herschorn, S. & N.E. Diamant (Eds.), *Urogynaecology and reconstructive pelvic surgery* (pp. 235–242). Secaucus, New York: Springer.
- Ustun, T.B., Rehm, J. & Chatterji, S.** (2002). Multiple-informant ranking of the disabling effects of different health conditions in 14 countries. In C.J.L. Murray, J.A. Salomon, C.D. Mathers & A.D. Lopez (Eds.), *Summary measures of population health: Concepts, ethics, measurement and applications* (pp. 581–592). Geneva: World Health Organization.
- Warner, J.** (2002). Back to Becker. In G. Edwards (Ed.), *Addiction: Evolution of a specialist field* (pp. 349–350). Oxford: Blackwell Publishing.
- Young, A. & Beitchman, J.** (2002). Reading and other specific learning disorders. In P. Howlin & O. Udwin (Eds.), *Outcomes in neurodevelopmental and genetic disorders* (pp. 56–73). Cambridge: Cambridge University Press.
- Zucker, K.J.** (2002). Gender identity disorder. In M. Rutter & E. Taylor (Eds.), *Child and adolescent psychiatry* (4th ed.) (pp. 737–753). Oxford: Blackwell Science.
- Zucker, K.J.** (2002). Gender identity disorders. In M. Lewis (Ed.), *Child and adolescent psychiatry: A comprehensive textbook* (3rd ed.) (pp. 724–734). Philadelphia: Lippincott Williams & Wilkins.

REFEREED ARTICLES

- Ahijevych, K., Dhatt, R., Kihm, K., Tyndale, R.F., Wewers, M.D., Weed, H.G. & Scalf, S. (2002). Factors influencing cotinine elimination trends in African American and Caucasian women cigarette smokers. *Nicotine and Tobacco*, 4, 423–443.
- Alain, C., Bernstein, L.J., He Y., Cortese, F. & Zipursky, R.B. (2002). Visual feature conjunction in patients with schizophrenia: an event-related brain potential study. *Schizophrenia Research*, 57, 69–79.
- Alain, C., Cortese, F., Bernstein, L.J., Yu H. & Zipursky, R. (2002). Deficits in automatically detecting changes in conjunction of auditory features in patients with schizophrenia. *Psychophysiology*, 39, 599–606.
- Alain, C., McNeely, H.E., He, Y., Christensen, B.K. & West, R. (2002). Neurophysiological evidence of error-monitoring deficits in patients with schizophrenia. *Cerebral Cortex*, 12, 840–846.
- Anglin, L., Neves, P., Giesbrecht, N., Kobus-Matthews, M. (2002). Alcohol-related air rage: from damage control to primary prevention. *Journal of Primary Prevention*, 23, 285–299.
- Arbeitsgruppe HeGeBe Doppeldiagnosen. (2002). Komorbidität: Psychische störungen bei opiatabhängigke zu beginn einer heroingestützten behandlung. *Psychiatrische Praxis*, 29, 251–257.
- Bagby, R.M., Nicholson, R.A., Bacchiochi, J.R., Ryder, A.G. & Bury, A.S. (2002). The comparative predictive capacity of the MMPI-2 and PAI validity scales to detect coached and noncoached feigning. *Journal of Personality Assessment*, 78, 69–86.
- Bagby, R.M., Ryder, A.G., Ben-Dat, D., Bacchiochi, J.R. & Parker, J.D.A. (2002). Examination of the dimensional factor structure of the personality psychopathology five in clinical and non-clinical samples. *Journal of Personality Disorders*, 16, 304–316.
- Bagby, R.M., Ryder, A.G. & Cristi, C. (2002). Psychosocial and clinical predictors of response to pharmacotherapy for depression. *Journal of Psychiatry and Neurosciences*, 27, 250–257.
- Ballon, B., Courbasson, C.M.A. & Smith, P.D. (2002). Physical and sexual abuse issues in youth with substance use problems. *Canadian Journal of Psychiatry*, 46, 617–621.
- Barbosa, J., Manassis, K. & Tannock, R. (2002). Measuring anxiety: Parent-child reporting differences in clinical samples. *Depression and Anxiety*, 15, 61–65.
- Barr, C.L., Kroft, J., Feng, Y., Wigg, K., Roberts, W., Malone, M., Ickowicz, A., Schachar, R., Tannock, R. & Kennedy, J.L. (2002). The norepinephrine transporter gene and attention-deficit hyperactivity disorder. *American Journal of Medical Genetics (Neuropsychiatric Genetics)*, 114, 255–259.
- Basile, V.S., Masellis, M., Potkin, S.G. & Kennedy J.L. (2002). Pharmacogenomics in schizophrenia: The quest for individualized therapy. *Human Molecular Genetics*, 11, 2517–2530.
- Bell, J., Dru, A., Fischer, B., Levitt, S. & Sarfraz, A. (2002). Substitution therapy for opiate addiction: An international update. *Substance Use and Misuse*, 37, 1149–1178.
- Bezchlibnyk, Y.B. & Young, L.T. (2002). The neurobiology of bipolar disorder: Focus on signal transduction pathways and the regulation of gene expression. *Canadian Journal of Psychiatry*, 47, 135–148.
- Bieling, P.J., MacQueen, G.M., Marriott, M.J., Robb, J.C., Begin, H., Joffe, R.T. & Young, L.T. (2002). Longitudinal outcome in patients with bipolar disorder assessed by life charting is influenced by DSM-IV personality disorder symptoms. *Bipolar Disorders*, 5, 14–21.
- Bilder, R.M., Volavka, J., Czobor, P., Malhotra, A.K., Kennedy, J.L., Ni X., Goldman, R.S., Hoptman, M.J., Sheitman, B., Lindenmayer, J.P., Citrome, L., McEvoy, J.P., Kunz, M., Chakos, M., Cooper, T.B. & Lieberman, J.A. (2002). Neurocognitive correlates of the COMT Val (158) Met polymorphism in chronic schizophrenia. *Biological Psychiatry*, 52, 701–707.
- Blanchard, R., Christensen, B.K., Strong, S.M., Cantor, J.M., Kuban, M.E., Klassen, P., Dickey, R. & Blak, T. (2002). Retrospective self-reports of childhood accidents causing unconsciousness in phallo-metrically diagnosed pedophiles. *Archives of Sexual Behavior*, 31, 511–526.
- Blanchard, R., Zucker, K. J., Cavacas, A., Allin, S., & Schachter, D. (2002). Fraternal birth order and birth weight in probably prehomosexual feminine boys. *Hormones and Behavior*, 41, 321–327.
- Bottas, A. & Richter, M.A. (2002). A review of pediatric autoimmune neuropsychiatric disorders associated with streptococcal infections. *Pediatric Infectious Disease Journal*, 21, 67–71.
- Bowers, B. & Jacobson, N. (2002). Best practice in long-term care case management: How excellent case managers do their jobs. *Journal of Social Work in Long-Term Care*, 1, 55–72.
- Bown, C.D., Wang, J.F., Chen, B. & Young, L.T. (2002). Regulation of ER stress proteins by valproate: Therapeutic implications. *Bipolar Disorders*, 4, 145–151.
- Bown, C.D., Wang, J.F. & Young, L.T. (2002). Attenuation of NMDA-mediated cytoplasmic vacuolization in primary rat hippocampal neurons by mood stabilizers. *Neuroscience*, 117, 949–955.
- Brands, B., Blake, J. & Marsh, D.C. (2002). Changing patient characteristics with increased methadone maintenance availability. *Drug and Alcohol Dependence*, 66, 11–20.
- Breslin, F.C. & Adlaf, E.M. (2002). Part-time work and cigarette use among teens: Does age moderate this relationship? *Canadian Journal of Public Health*, 93, 356–359.
- Breslin, F.C., Zack, M. & McMain, S. (2002). An information-processing analysis of mindfulness: Implications for relapse prevention in the treatment of substance abuse. *Clinical Psychology: Science and Practice*, 9, 275–299.
- Bury, A.S. & Bagby, R.M. (2002). The detection of feigned coached and uncoached post-traumatic stress disorder with the MMPI-2 in a sample of workplace accident victims. *Psychological Assessment*, 14, 472–484.
- Butler, S. & Seto, M. (2002). Distinguishing two types of juvenile sex offenders. *Journal of the American Academy of Child and Adolescent Psychiatry*, 41, 83–90.

- Butters, J.** (2002). Family stressors and adolescent cannabis use: A pathway to problem use. *Journal of Adolescence*, 25, 645–654.
- Callaghan, R. & Cunningham, J.** (2002). Gender differences in detoxification: Predictors of completion and re-admission. *Journal of Substance Abuse Treatment*, 23, 399–407.
- Callaghan, R. & Cunningham, J.** (2002). Intravenous and non-intravenous cocaine abusers admitted to inpatient detoxification treatment: A 3-year medical-chart review of patient characteristics and predictors of treatment re-admission. *Drug and Alcohol Dependence*, 68, 323–328.
- Cantor, J.M., Blanchard, R., Paterson, A.D. & Bogaert, A.F.** (2002). How many gay men owe their sexual orientation to fraternal birth order? *Archives of Sexual Behavior*, 31, 63–71.
- Cardenas, L., Tremblay, L., Naranjo, C., Herrmann, N., Zack, M. & Busto, U.** (2002). Brain reward system activity in major depression and comorbid nicotine dependence. *Journal of Pharmacology and Experimental Therapeutics*, 302, 1265–1271.
- Chen, B., Wang, J.F. & Young, L.T.** (2002). Regulation of GAP-43 expression by chronic desipramine treatment in rat cultured hippocampal cells. *Biological Psychiatry*, 53, 530–537.
- Chong, V.Z., Young, L.T. & Mishra, R.K.** (2002). cDNA array reveals differential gene expression following chronic neuroleptic administration: Implications of synapsin II in haloperidol treatment. *Journal of Neurochemistry*, 82, 1–7.
- Chow, E., Zipursky, R., Mikulis, D. & Bassett, A.** (2002). Structural brain abnormalities in patients with 22q11 deletion syndrome and schizophrenia. *Biological Psychiatry*, 51, 208–215.
- Chumakov, I., Blumenfeld, M., Guerassimenko, O., Cavarec, L., Palicio, M., Abderrahim, H., Bougueleret, L., Barry, C., Tanaka, H., La Rosa, P., Puech, A., Tahri, N., Cohen-Akenine, A., Delabrosse, S., Lissarrague, S., Picard, F.P., Maurice, K., Essioux, L., Millasseau, P., Grel, P., Debailleul, V., Simon, A.M., Caterina, D., Dufaure, I., Malekhzadeh, K., Belova, M., Luan, J.J., Bouillot, M., Sambucy, J.L., Primas, G., Saumier, M., Boubkiri, N., Martin-Saumier, S., Nasroune, M., Peixoto, H., Delaye, A., Pinchot, V., Bastucci, M., Guillou, S., Chevillon, M., Sainz-Fuertes, R., Meguenni, S., Aurich-Costa, J., Cherif, D., Gimalac, A., Van Duijn, C., Gauvreau, D., Ouelette, G., Fortier, I., Realson, J., Sherbatich, T., Razanskaya, N., Rogaev, E., Raeymaekers, P., Aerssens, J., Konings, J., Macciardi, F., Sham, P.C., Straub, R., Weinberger, D.R., Cohen, N. & Cohen, D.** (2002). Genetic and physiological data implicating the new human gene G72 and the gene for D-amino acid oxidase in schizophrenia. *Proceedings of the National Academy of Sciences*, 98, 13675–13680.
- Clarke, C.E. & Guttman, M.** (2002). Dopamine agonist monotherapy in Parkinson's disease. *Lancet*, 360, 1767–1769.
- Cohen, J., DeGuia, N., Ashley, M., Ferrence, R., Northrup, D. & Studlar, D.** (2002). Predictors of Canadian legislators' support for tobacco control policies. *Social Science and Medicine*, 55, 1069–1076.
- Cohen, J., Pederson, L., Ashley, M., Bull, S., Ferrence, R. & Poland, B.** (2002). Is "stage of change" related to knowledge of health effects and support for tobacco control? *Addictive Behaviors*, 27, 49–61.
- Côté, K., Earls, C.M. & Lalumière, M.L.** (2002). Birth order, birth interval, and deviant sexual preferences among sex offenders. *Sexual Abuse*, 14, 67–81.
- Courbasson, C.M.A.** (2002). DBT for concurrent eating and substance use disorders. *The DBT Bulletin*, 1, 3–3.
- Courbasson, C.M.A., Endler, N.S. & Kockovsky, N.** (2002). Coping and psychological distress among men with substance use problems. *Current Psychology*, 21, 35–49.
- Court, J.** (2002). Bibliographies and notes as a separate online publication: A novel trend in support of scholarly publishing. *Journal of Scholarly Publishing*, 34, 43–52.
- Croston, G.E., Olsson, R., Currier, E.A., Burstein, E.S., Weiner, D., Nash, N., Severance, D., Allenmark, S.G., Thunberg, L., Ma, J.N., Mohell, N., O'Dowd, B., Brann, M.R. & Hacksell, U.** (2002). Discovery of the first nonpeptide agonist of the GPR14/urotensin-II receptor: 3-(4-chlorophenyl)-3-(2-(dimethylamino)ethyl) is ochroman-1-one (AC-7954). *Journal of Medicinal Chemistry*, 45, 4950–4953.
- Cunningham, J., Koski-Jannes, A., Wild, T. & Cordingley, J.** (2002). Treating alcohol problems with self-help materials: A population study. *Journal of Studies on Alcohol*, 63, 649–654.
- Cunningham, J., Wild, T., Koski-Jannes, A., Cordingley, J. & Toneatto, T.** (2002). A prospective study of quit attempts from alcohol problems in a community sample: Modeling the processes of change. *Addiction Research and Theory*, 10, 159–173.
- Demers, A., Kairouz, S., Adlaf, E.M., Gliksman, L., Newton-Taylor, B. & Marchand, A.** (2002). A multilevel analysis of situational drinking among Canadian undergraduates. *Social Science and Medicine*, 55, 415–424.
- de Oliveira, A.C., D'Almeida, V., Hipólido, D.C., Nobrega, J.N. & Tufik, S.** (2002). Sleep deprivation reduces total plasma homocysteine levels in rats. *Canadian Journal of Physiology and Pharmacology*, 80, 193–197.
- DeStefano, A.L., Lew, M.L., Golbe, L.I., Mark, M., Lazzarini, A.M., Guttman, M., Montgomery, E., Waters, C.H., Singer, C., Watts, R.L., Currie, L.J., Wooten, G.F., Maher, N.E., Wilk, J.B., Sullivan, K.M., Slater, K.M., Saint-Hilaire, M.H., Feldman, R.G., Suchowersky, O., Lafontaine, A.L., Labelle, N., Growdon, J.H., Vieregge, P., Pramstaller, P.P., Klein, C., Hubble, J.P., Reider, C.R., Stacy, M., MacDonald, M.E., Gusella, J.F. & Myers, R.H.** (2002). PARK3 influences Parkinson's disease onset: A genome scan in the GenePD Study. *American Journal of Human Genetics*, 70, 1089–1095.
- Dewa, C., Durbin, J., Eastabrook, S., Ochoka, J., Boydell, K., Wasylenski, D. & Goering, P.** (2002). Considering a multi-site study? Taking the leap and having a soft landing. *Journal of Community Psychology*, 30, 1–15.
- Dewa, C., Goering, P., Lin, E. & Paterson, M.** (2002). Depression-related short-term disability in an employed population. *Journal of Occupational and Environmental Health*, 44, 628–633.

- Dewa, C., Horgan, S., McIntyre, D., Robinson, G., Krupa, T. & Eastabrook, S. (2002). Direct and indirect time inputs and assertive community treatment. *Community Mental Health Journal*, 39, 17–32.
- Dewa, C., Remington, G., Herrmann, N., Fearnley, J. & Goering, P. (2002). Trends in the use of atypical antipsychotics. *Clinical Therapeutics*, 24, 1466–1476.
- Earls, C.M. & Lalumière, M.L. (2002). A case study of preferential bestiality (zoophilia). *Sexual Abuse*, 14, 83–88.
- Eynan-Harvey, R., Langley, J., Tolomiczenko, G., Rhodes, A., Heslegrave, R., Links, P., Wasylenko, D. & Goering, P. (2002). The association between homelessness and suicidal ideation and attempts: Results of a cross-sectional survey. *Suicide and Life Threatening Behavior*, 32, 418–427.
- Ezzati, M., Lopez, A.D., Rodgers, A., Vander Horn, S., Murray, C.J.L. & Rehm, J. (2002). Selected major risk factors and global and regional burden of disease. *Lancet*, 360, 1347–1360.
- Fernandes, L.C., Kilicarslan, T., Kaplan, H.L., Tyndale, R.F., Sellers, E.M. & Romach, L.C. (2002). Treatment of codeine dependence with inhibitors of cytochrome P450 2D6 (CYP2D6). *Journal of Clinical Psychopharmacology*, 3, 326–329.
- Field, J.K., Brambilla, C., Caporaso, N., Flahault, A., Henschke, C., Herman, J., Hirsch, F., Lachman, P., Lam, S., Maier, S., Montuenga, L.M., Mulshine, J., Murphy, M., Pullen, J., Splitz, M., Tockman, M., Tyndale, R.F., Wistuba, I. & Youngson, J. (2002). Consensus statements from the second international Lung Cancer Molecular Biomarkers Workshop: A European strategy for developing lung cancer molecular diagnostics in high risk populations. *International Journal of Oncology*, 21, 369–373.
- Fischer, B., Bisceglia, D., Daniel, N. & Gliksman, L. (2002). Methadone treatment in Ontario: Results of a physician survey. *Annales de Medecine Interne*, 153, 11–21.
- Fischer, B., Chin, A., Kuo, I., Kirst, M. & Vlahov, D. (2002). Canadian opiate users' views on methadone and other opiate prescription treatment: An exploratory qualitative study. *Substance Use and Misuse*, 37, 495–522.
- Fischer, B., Rehm, J., Kim, G. & Robins, A. (2002). Safe injection facilities (SIFs) for injection drug users in Canada: A review and call for an evidence-focused pilot trial. *Canadian Journal of Public Health*, 93, 336–338.
- Fischer, B., Rehm, J., Kirst, M., Casas, M., Hall, W., Krausz, M., Metrebian, N., Reggers, M., Uchtenhagen, A., vandenBrink, W. & vanRee, J. (2002). Heroin-assisted treatment as a public health response to opiate dependence in established market economies: An overview. *European Journal of Public Health*, 12, 228–234.
- Fischer, B., Roberts, J. & Kirst, M. (2002). Compulsory drug treatment in Canada: Historical origins and recent developments. *European Addiction Research*, 8, 61–68.
- Fischer, B., Wortley, S., Webster, C. & Kirst, M. (2002). The socio-legal dynamics and implications of diversion: The case study of the Toronto 'john school' for prostitution offenders. *Criminal Justice*, 2, 385–410.
- Fitzmaurice, P.S., Bamsey, C.L., Ang, L., Guttman, M., Rajput, A.H., Furukawa, Y. & Kish, S.J. (2002). Brain aconitase activity is not decreased in progressive supranuclear palsy. *Neurology*, 59, 137–138.
- Fletcher, P.J., Azampanah, A. & Korth, K.M. (2002). Activation of 5-HT_{1B} receptors in the nucleus accumbens reduces self-administration of amphetamine on a progressive ratio schedule. *Pharmacology, Biochemistry and Behavior*, 71, 717–725.
- Fletcher, P.J., Grottick, A.J. & Higgins, G.A. (2002). Differential effects of the 5-HT_{2A} receptor antagonist MDL100,907 and the 5-HT_{2C} receptor antagonist SB242,084 on cocaine induced locomotor activity, cocaine self-administration and cocaine induced reinstatement of responding. *Neuropsychopharmacology*, 27, 576–586.
- Fletcher, P.J., Korth, K.M., Robinson, S.R. & Baker, G.B. (2002). Multiple 5-HT receptors are involved in the effects of acute MDMA treatment: studies on locomotor activity and responding for conditioned reinforcement. *Psychopharmacology*, 162, 282–291.
- Flint, A.J., Bradwejn, J., Vaccarino, F., Gutkowska, J., Palmour, R. & Koszycki, D. (2002). Aging and panicogenic response to cholecystokinin tetrapeptide: An examination of the cholecystokinin system. *Neuropsychopharmacology*, 27, 663–671.
- Fox, B.J. & Cohen, J. (2002). Tobacco harm reduction: A call to address the ethical dilemmas. *Nicotine & Tobacco Research*, 4 (Suppl 2), S81–S87.
- Frei, A. & Rehm, J. (2002). Die prevalenz psychischer komorbidität unter opiatabhängigen: Eine metaanalyse bisheriger studien. *Psychiatrische Praxis*, 29, 258–262.
- Frick, U., Rehm, J., Eichhammer, P. (2002). Risk perception, somatization, and self report of complaints related to electromagnetic fields: A randomized survey study. *International Journal of Hygiene and Environmental Health*, 205, 353–360.
- Friedman, Y., Richter, A., Raymond, R., Löscher, W. & Nobrega, J.N. (2002). Regional decreases in NK-3, but not NK-1, tachykinin receptor binding in dystonic hamster (dtsz) brains. *Neuroscience*, 112, 639–645.
- Fung, D., Manassis, K., Kenny, A. & Fiksenbaum, L. (2002). Web-based CBT for selective mutism (Letter to the editor). *Journal of the American Academy of Child and Adolescent Psychiatry*, 41, 112–113.
- Furukawa, Y., Kapatos, G., Haycock, J.W., Worsley, J., Wong, H., Kish, S.J. & Nygaard, T.G. (2002). Brain bipterin and tyrosine hydroxylase in asymptomatic dopa-responsive dystonia. *Annals of Neurology*, 51, 637–641.
- Furukawa, Y., Vigouroux, S., Wong, H., Guttman, M., Rajput, A.H., Ang, L., Briand, M., Kish, S.J. (2002). Brain proteasomal function in sporadic Parkinson's disease and related disorders. *Annals of Neurology*, 51, 779–781.
- Gastaldo, D. & Khanlou, N. (2002). Internationalisation or neocolonialism? (Letter to the editor). *Journal of Nursing Scholarship*, 34, 207–207.
- George, S.R., O'Dowd, B.F. & Lee, S.P. (2002). G-protein-coupled receptor oligomerization and its potential for drug delivery. *Nature Reviews Drug Discovery*, 1, 808–820.

- Gill, S.S., Rochon, P.A., Guttman, M. & Laupacis, A. (2002). The value of positron emission tomography in the clinical evaluation of dementia. *Journal of American Geriatric Association*, 51, 258–264.
- Gliksmann, L., Adlaf, E.M., Demers, A. & Newton-Taylor, B. (2002). Heavy drinking on Canadian campuses. *Canadian Journal of Public Health*, 94, 17–21.
- Goering, P., Tolomiczenko, G., Sheldon, T., Boydell, K. & Wasylenko, D. (2002). Characteristics of persons who are homeless for the first time. *Psychiatric Services*, 53, 1472–1474.
- Goodz, S. & Tyndale, R.F. (2002). Methods of genotyping CYP2A6. *Methods in Enzymology*, 357, 59–69.
- Graham, K., Wells, S. & Jolley, J. (2002). The social context of physical aggression among adults. *The Journal of Interpersonal Violence*, 17, 64–83.
- Greenfield, T., Rehm, J. & Rogers, J.D. (2002). Effects of depression and social integration on the relationship between alcohol consumption and all-cause mortality. *Addiction*, 97, 29–38.
- Grichting, E., Uchtenhagen, A. & Rehm, J. (2002). Modes and impact of coercive inpatient treatment for drug-related conditions in Switzerland. *European Addiction Research*, 8, 78–83.
- Gschwend, P., Eschmann, S., Buttinger, F., Rey-Riek, S., Rehm, J. & Uchtenhagen, A. (2002). Konsum von kokain vor, in und nach der heroïn gestützten behandlung in der Schweiz. *Suchttherapie*, 3, 8–12.
- Gschwend, P., Rehm, J., Lezzi, S., Blattler, R., Steffen, T., Gutzwiller, F., Uchtenhagen, A. (2002). Development of a monitoring system for heroïn-assisted substitution treatment in Switzerland. *Zeitschrift für Sozial- und Präventivmedizin*, 47, 33–38.
- Guttinger, F., Gschwend, P., Schulte, B., Rehm, J. & Uchtenhagen, A. (2002). Die lebenssituation von drogenabhängigen in der heroïn gestützten behandlung in der Schweiz: Eine 6-jahres katamnese. *Sucht*, 48, 370–378.
- Guttman, M., Kish, S.J. & Furukawa, Y. (2002). Parkinson's disease: Current concepts in diagnosis and management. *Canadian Medical Association Journal*, 168, 293–302.
- Guttman, M., Slaughter, P.M., Theriault, M.-E., DeBoer, D.P. & Naylor, C.D. (2002). Burden of Parkinsonism: A population-based study. *Movement Disorders*, 18, 313–319.
- Guttman, M., Slaughter, P.M., Theriault, M.-E., DeBoer, D.P., Naylor, C.D. (2002). Parkinsonism in Ontario: Physician utilization. *Canadian Journal of Neurological Sciences*, 29, 221–226.
- Hanson, R., Gordon, A., Harris, A., Marques J., Murphy, W., Quinsey, V. & Seto, M. (2002). First report of the collaborative outcome data project on the effectiveness of treatment for sex offenders. *Sexual Abuse*, 14, 169–194.
- Harkness, K.L., Bagby, R.M., Levitt, A.J. & Joffe, R.T. (2002). Major depression, minor depression, and the five-factor model of personality. *European Journal of Personality*, 16, 271–281.
- Hebb, M.O., Lang, A.E., Fletcher, P.J., Chambers, J.W. & Lozano, A.M. (2002). Neonatal ablation of the nigrostriatal dopamine pathway does not influence limb development in rats. *Experimental Neurology*, 177, 547–556.
- Hellman, A., Zlotorynski, E., Scherer, S.W., Vincent, J.B., Cheung, J., Smith, D.I., Trakhtenbrot, L. & Kerem, B. (2002). A role for common fragile site induction in amplification of human oncogenes. *Cancer Cell*, 1, 80–97.
- Higgins, G.A. & Fletcher, P.J. (2002). Serotonin-based therapeutics (Editorial). *Pharmacology, Biochemistry and Behavior*, 71, 531–532.
- Hillmer, A.M., Kruse, R., Macciardi, F., Heyn, U., Betz, R.C., Ruzicka, T., Propping, P., Nothen, M.M. & Cichon, S. (2002). The hairless gene in androgenetic alopecia: Results of a systematic mutation screening and a family-based association approach. *British Journal of Dermatology*, 146, 601–608.
- Hipólido, D.C., D'Almeida, V., Raymond, R., Tufik, S. & Nobrega, J.N. (2002). Sleep deprivation does not affect indices of gliosis or apoptosis in rat brain. *International Journal of Neuroscience*, 112, 155–166.
- Howard, L., Sellers, E.M. & Tyndale, R.F. (2002). Polymorphic CYP enzymes and drug dependence. *Pharmacogenomics*, 3, 185–199.
- Joffe, R.T., MacQueen, G.M., Marriott, M., Robb, J., Begin, H. & Young, L.T. (2002). Induction of mania and cycle acceleration in bipolar disorder: Effect of different classes of antidepressant. *Acta Psychiatrica Scandinavica*, 105, 426–430.
- Kairouz, S., Gliksmann, L., Demers, A. & Adlaf, E.M. (2002). For all these reasons, I do drink: A multilevel analysis of contextual reasons for drinking among Canadian undergraduates. *Journal of Studies on Alcohol*, 63, 600–608.
- Kapur, S., McClelland, R.A., VanderSpek, S.C., Wadenberg, M.L., Baker, G., Nobrega, J., Zipursky, R.B. & Seeman, P. (2002). Increasing D2 affinity results in the loss of clozapine's atypical antipsychotic action. *Neuroreport*, 13, 831–835.
- Kaspar, V. (2002). Posttraumatic stress disorder: Diagnosis, prevalence, and research advances. *Sociological Focus*, 35, 97–108.
- Kato, C., Okazaki, Y., Petronis, A. & Sasaki T. (2002). Molecular genetic studies of schizophrenia: Challenges and insights. *Neuroscience Research*, 43, 295–304.
- Kessler, R.C., Berglund, P.A., DeWit, D.J., Ustun, T.B., Wang, P.S. & Wittchen, H.-U. (2002). Distinguishing generalized anxiety disorder from major depression: Prevalence and impairment from current and pure and co-morbid disorders in the United States and Ontario. *International Journal of Methods in Psychiatric Research*, 11, 99–111.
- Khanlou, N. (2002). Health sub-plenary led by CERIS at fifth national Metropolis Conference. *Centre of Excellence for Research on Immigration and Settlement (CERIS) Newsletter*. [On-line]. Available: <http://ceris.metropolis.net>
- Kilic, K., Sproule, B., Turksen, I. & Naranjo, C. (2002). Fuzzy system modeling in pharmacology: A new algorithm. *Fuzzy Sets and Systems*, 130, 253–264.

- Kish, S.J.** (2002). How strong is the evidence that brain serotonin neurons are damaged in human users of ecstasy? *Pharmacology, Biochemistry and Behavior*, 71, 845–855.
- Koren, G., Cohn, T., Chitayat, D., Kapur, B., Remington, G., Reid, D.M. & Zipursky, R.** (2002). Use of atypical antipsychotics during pregnancy and the risk for neural tube defects in infants. *American Journal of Psychiatry*, 159, 136–137.
- Kotecha, S.A., Oak, J.N., Jackson, M.F., Perez, Y., Orser, B.A., Van Tol, H.H.M. & MacDonald, J.F.** (2002). A D2 class dopamine receptor transactivates a receptor tyrosine kinase to inhibit NMDA receptor transmission. *Neuron*, 35, 1111–1122.
- Kuo, M., Adlaf, E. M., Lee, H., Gliksman, L., Demers, A., & Wechsler, H.** (2002). More Canadian students drink but American students drink more: Comparing college alcohol use in two countries. *Addiction*, 97, 1583–1592.
- Lacroix, S.** (2002). Evidence-based and best practice addiction treatment resources: A primer for librarians. *Behavioral and Social Sciences Librarian*, 21, 59–72.
- Lamey, M., Thompson, M., Varghese, G., Chi, H., Sawzdargo, M., George, S.R. & O'Dowd, B.F.** (2002). Distinct residues in the carboxyl tail mediate agonist-induced desensitization and internalization of the human dopamine D-1 receptor. *Journal of Biological Chemistry*, 277, 9415–9421.
- LaPrairie, C., Gliksman, L., Erickson, P., Wall, R., Newton-Taylor, B.** (2002). Drug treatment courts: A viable option for Canada? *Substance Use & Misuse*, 37, 1529–1566.
- Lavine, N., Ethier, N., Oak, J.N., Trieu, P., Rebois, R.V., Bouvier, M., Hebert, T.E. & Van Tol, H.H.M.** (2002). G protein-coupled receptors form stable complexes with inwardly rectifying potassium channels and adenylyl cyclase. *Journal of Biological Chemistry*, 277, 46010–46019.
- Lê, A.D.** (2002). Effects of nicotine on alcohol consumption. *Alcoholism: Clinical and Experimental Research*, 12, 1915–1916.
- Lê A.D., Harding, S., Juzysch, W., Fletcher, P.J., Shaham, Y.** (2002). The role of corticotropin-releasing factor in the median raphe nucleus in relapse to alcohol. *Journal of Neuroscience*, 22, 7844–7849.
- Lê, A.D. & Shaham, Y.** (2002). Neurobiology of relapse to alcohol in rats. *Pharmacology and Therapeutics*, 94, 137–156.
- Lee, D.K., George, S.R. & O'Dowd, B.F.** (2002). Novel G protein-coupled receptor genes expressed in the brain: Continued discovery of important therapeutic targets. *Expert Opinion in Therapeutic Targets*, 6, 185–202.
- Lerer, B. & Macciardi, F.** (2002). Pharmacogenetics of antidepressant and mood stabilizing drugs: A review of candidate-gene studies and future research directions. *International Journal of Neuropsychopharmacology*, 5, 255–275.
- Levac, B.A.R., O'Dowd, B.F., George, S.R.** (2002). Oligomerization of opioid receptors: Generation of novel signaling units. *Current Opinion in Pharmacology*, 2, 76–81.
- Lord, J. & Rush, B.** (2002). A peer support approach for evaluating supported employment programs for people with developmental disabilities. *Canadian Journal of Program Evaluation*, 17, 25–41.
- Lunskey, Y., Emery, C.F. & Benson, B.A.** (2002). Staff and self-reports of health behaviours, somatic complaints, and medications among adults with mild intellectual disability. *Journal of Intellectual and Developmental Disability Research*, 27, 125–135.
- Lunskey, Y. & Neely, L.** (2002). Community sources of social support as perceived by adults with intellectual disabilities. *Mental Retardation*, 40, 269–278.
- Macdonald, K.J. & Young, L.T.** (2002). Newer antiepileptic drugs in bipolar disorder: Rationale for use and role in therapy. *CNS Drugs*, 16, 549–562.
- MacQueen, G.M., Campbell, S., McEwen, B., Macdonald, K., Amano, S., Joffe, R.T., Nahmias, C. & Young, L.T.** (2002). Course of illness, hippocampal function and volume in major depression. *Proceedings of the National Academy of Science*, 100, 1387–1392.
- MacQueen, G.M., Galway, T.M., Hay, J.F., Young, L.T. & Joffe, R.T.** (2002). Recollection memory deficits in patients with major depressive disorder predicted by past depressions but not current mood state or treatment status. *Psychological Medicine*, 32, 251–258.
- MacQueen, G.M., Young, L.T., Marriott, M., Robb, J.C., Begin, H. & Joffe, R.T.** (2002). Previous mood state predicts response and switch rates in patients with bipolar depression. *Acta Psychiatrica Scandinavica*, 105, 414–418.
- Maher, N.E., Golbe, L.I., Lazzarini, A.M., Mark, M.H., Currie, L.J., Wooten, G.F., Saint-Hilaire, M.H., Wilk, J.B., Volcjak, J., Maher, J.E., Feldman, R.G., Guttman, M., Lew, M.F., Schuman, S., Suchowersky, O., Lafontaine, A.L., Labelle, N., Vieregge, P., Pramstaller, P.P., Klein, C., Hubble, J.P., Reider, C., Growdon, J.H., Watts, R.L., Montgomery, E., Baker, K., Singer, C., Stacy, C. & Myers, R.H.** (2002). Epidemiological study of 203 sibling pairs with Parkinson's disease: The gene PD study. *Neurology*, 58, 79–84.
- Manassis, K., Mendlowitz, S., Scapilato, D., Avery, D., Fiksenbaum, L., Friere, M., Monga, S. & Owens, M.** (2002). Group and individual cognitive behavior therapy for childhood anxiety disorders: A randomized trial. *Journal of the American Academy of Child and Adolescent Psychiatry*, 41, 1423–1430.
- Mancini, C., Van Ameringen, M. & Farvolden, P.** (2002). Depression in SSRI treated obsessive-compulsive disorder: Augmentation with agents that effect noradrenergic functioning. *Journal of Affective Disorders*, 68, 59–65.
- Mann, R.E.** (2002). Choosing a rationale threshold for the definition of drunk driving: What research recommends. *Addiction*, 97, 1237–1238.
- Mann, R.E., Smart, R.G., Stoduto, G., Beirness, D., Lamble, R. & Vingilis, E.** (2002). The early effects of Ontario's administration licence suspension law on driver behaviour. *Canadian Journal of Public Health*, 95, 175–180.

- Mann, R.E., Smart, R.G., Stoduto, G., Vingilis, E., Beirness, D. & Lamble, R. (2002). The early effects of Ontario's administrative driver's licence suspension law on driver fatalities with a BAC > 80 mg%. *Canadian Journal of Public Health*, 93, 176–180.
- Masellis, M., Basile, V., Muglia, P., Özdemir, V., Macciardi, M. & Kennedy, J.L. (2002). Psychiatric pharmacogenetics: Personalizing psychostimulant therapy in attention-deficit/hyperactivity disorder. *Behavioural Brain Research*, 130, 85–90.
- Massat, I., Souery, D., Del-Favero, J., Van Gestel, S., Serretti, A., Macciardi, F., Smeraldi, E., Kaneva, R., Adolfsson, R., Nylander, P.O., Blackwood, D., Muir, W., Papadimitriou, G.N., Dikeos, D., Oruc, L., Segman, R.H., Ivezic, S., Aschauer, H., Ackenheil, M., Fuchshuber, S., Dam, H., Jakovljevic, M., Peltonen, L., Hilger, C., Hentges, F., Staner, L., Milanova, V., Jazin, E., Lerer, B., Van Broeckhoven, C. & Mendlewicz, J. (2002). Positive association of dopamine D2 receptor polymorphism with bipolar affective disorder in a European Multicenter Association study of affective disorders. *American Journal Medical Genetics (Neuropsychiatric Genetics)*, 114, 177–185.
- McCleary, L. & Sanford, M. (2002). Parental expressed emotion in depressed adolescents. Prediction of clinical course and relationship to comorbid disorders and social functioning. *Journal of Child Psychology and Psychiatry*, 43, 587–595.
- McIntyre, R., Kennedy, S.H. & Bagby, R.M. (2002). Assessing full remission in response to antidepressant medication. *Journal of Psychiatry and Neurosciences*, 27, 235–239.
- Meyer, J.H., Goulding, V., Wilson, A.A., Christensen, B.K., Hussey, D. & Houle, S. (2002). Bupropion occupancy of the dopamine transporter is low during clinical treatment. *Psychopharmacology*, 163, 102–105.
- Miksys, S., Rao, Y., Hoffmann, E., Sellers, E.M., Mash, D.M. & Tyndale, R.F. (2002). Regional and cellular expression of cytochrome P450 2D6 in human brain: Higher levels in alcoholics. *Journal of Neurochemistry*, 82, 1–12.
- Muglia, P., Jain, U., Inkster, B. & Kennedy, J.L. (2002). A quantitative trait locus analysis of the dopamine transporter gene in adults with ADHD. *Neuropsychopharmacology*, 27, 652–655.
- Muglia, P., Jain, U. & Kennedy, J.L. (2002). A transmission disequilibrium test of the Ser9/Gly dopamine D3 receptor gene polymorphism in adult ADHD. *Behavioural Brain*, 130, 91–95.
- Muglia, P., Petronis, A., Mundo, M., Lander, S., Cate, T. & Kennedy, J.L. (2002). Dopamine D4 receptor and tyrosine hydroxylase genes in bipolar disorder: Evidence for role of DRD4. *Molecular Psychiatry*, 7, 860–866.
- Müller, D.J., Schulze, T.G., Macciardi, F., Ohlraun, S., Gross, M.M., Scherk, H., Kischkel, E., Neidt, H., Syagailo, Y.V., Grässle, M., Nöthen, M.M., Maier, W., Lesch, K.P. & Rietschel, M. (2002). Moclobemide response in depressed patients: Association study with a functional polymorphism in the monoamine oxidase A promoter. *Pharmacopsychiatry*, 35, 157–158.
- Mundo, E., Richter, M.A., Zai, G., Sam, F., McBride, J., Macciardi, F., Kennedy, J.L. (2002). The 5HT1D beta receptor gene is implicated in the pathogenesis of obsessive-compulsive disorder: Further evidence from a family-based association study. *Molecular Psychiatry*, 7, 805–809.
- Neves-Pereira, M., Mundo, E., Muglia, P., King, N., Macciardi, F. & Kennedy, J.L. (2002). The brain-derived neurotrophic factor gene confers susceptibility to bipolar disorder: Evidence from a family-based association study. *American Journal of Human Genetics*, 71, 651–655.
- Ni, X., Trakalo, J.M., Mundo, E., Lee, L., Kennedy, J.L. (2002). Study of linkage disequilibrium between human dopamine D1 receptor (DRD1) gene and bipolar disorder. *Biological Psychiatry*, 52, 1144–1150.
- Ni, X., Trakalo, J.M., Mundo, E., Lee, L., Parikh, S. & Kennedy, J.L. (2002). Family-based association study of the serotonin-2A receptor gene (5-HT2A) and bipolar disorder. *NeuroMolecular Medicine*, 2, 251–260.
- Nobrega, J.N., Raymond, R., Barlow, K., Löscher, W. & Richter, A. (2002). Changes in AMPA receptor binding in an animal model of inborn paroxysmal dystonia. *Experimental Neurology*, 176, 371–376.
- Noh, S. & Kaspar, V. (2002). Perceived discrimination and depression: Moderating effects of coping, acculturation and ethnic support. *American Journal of Public Health*, 93, 232–238.
- O'Loughlin, J., DiFranza, J., Tarasuk, J., Meshefedjian, G., McMillian-Davey, E., Paradis, G., Tyndale, R.F., Clarke, P. & Hanley, J. (2002). Assessment of nicotine dependence symptoms in adolescents: A comparison of five indicators. *Tobacco Control*, 11, 354–360.
- Petronis, A., Pependikyte, V., Kan, P.X. & Sasaki, T. (2002). Major psychosis and chromosome 22: Genetics meets epigenetics. *CNS Spectrums*, 7, 209–214.
- Pritzker, D., Kanungo, A., Kilicarslan, T., Tyndale, R.F. & Sellers, E.M. (2002). Designer drugs that are potent inhibitors of CYP2D6. *Journal of Clinical Psychopharmacology*, 22, 330–332.
- Quadros, I.M.H., Hipólido, D.C., Frussa-Filho, R., de Lucca, E.M., Nobrega, J.N. & Souza-Formigoni, M.L.O. (2002). Resistance to ethanol sensitization is associated with increased levels of NMDA receptor binding in specific brain areas. *European Journal of Pharmacology*, 442, 55–61.
- Quadros, I.M.H., Souza-Formigoni, M.L.S., de Lucca, E.M., Hipólido, D.C. & Nobrega, J.N. (2002). Differential propensity to behavioral sensitization to ethanol is not associated with altered dopamine transporter or D1 receptor binding in mice. *Addiction Biology*, 7, 291–299.
- Rahman, S. & McBride, W.J. (2002). Involvement of GABA and cholinergic receptors in the nucleus accumbens on feedback control of somatodendritic dopamine release in the ventral tegmental area. *Journal of Neurochemistry*, 80, 646–654.
- Ramamoorthy, Y., Yu, A., Suh, N., Haining, R.L., Tyndale, R.F. & Sellers, E.M. (2002). Reduced (+/-)-3,4-methylenedioxymethamphetamine (“ecstasy”) metabolism with cytochrome P450 2D6 inhibitors and pharmacogenetic variants in vitro. *Biochemical Pharmacology*, 63, 2111–2119.

- Rector, N.A. & Beck, A.T.** (2002). A clinical review of cognitive therapy for psychosis. *Current Psychiatry Reports*, 4, 284–292.
- Rector, N.A. & Beck, A.T.** (2002). Cognitive therapy for schizophrenia: From conceptualization to intervention. *Canadian Journal of Psychiatry*, 47, 39–48.
- Rector, N.A., Hood, K., Richter, M.A. & Bagby, R.M.** (2002). Obsessive-compulsive disorder and the five-factor model of personality: Distinction and overlap with major depressive disorder. *Behavioral Research and Therapy*, 40, 1205–1219.
- Rehm, J.** (2002). Noch ein weiter weg zu evidenzbasierter gesundheitspolitik im bereich substanzmissbrauch. *Sucht*, 48, 133–134.
- Rehm, J.** (2002). The role of consumers: Reflections on the possibilities and limits of user interviews in opiate addiction treatment. *Substance Use and Misuse*, 37, 533–536.
- Rehm, J. & Eschmann, S.** (2002). Global monitoring of average volume of alcohol consumption. *Zeitschrift für Sozial- und Präventivmedizin*, 47, 48–58.
- Rehm, J. & Fischer, B.** (2002). Von kontrollierten klinischen studien zu einer gestaltung des behandlungssystems für suchtkranke. *Sucht*, 48, 310–311.
- Rehm, J., Fischer, B., Krausz, M., Gschwend, P. & Uchtenhagen, A.** (2002). Heroin prescription for opioid addicts. *Lancet*, 359, 890–893.
- Rehm, J. & Gmel, G.** (2002). Average volume of alcohol consumption, patterns of drinking and mortality among young Europeans in 1999. *Addiction*, 97, 95–109.
- Rhodes, A., Goering, P., To, T., Williams, J.** (2002). Gender and outpatient mental health service use. *Social Science and Medicine*, 54, 1–10.
- Ross, B.M., Brooks, R.J., Lee, M., Kalasinsky, K.S., Vorce, S.P., Seeman, M. & Fletcher, P.J.** (2002). Cyclo-oxygenase inhibitor modulation of dopamine-related behaviours. *European Journal of Pharmacology*, 450, 141–151.
- Ross, B.M., Moszczynska, A., Peretti, F.J., Adams, V., Schmunk, G.A., Kalasinsky, K.S., Ang, L., Mamalias, N., Turenne, S.D. & Kish, S.J.** (2002). Decreased activity of brain phospholipid metabolic enzymes in human users of cocaine and methamphetamine. *Drug Alcohol Dependence*, 67, 73–79.
- Rotzinger, S. & Baker, G.B.** (2002). Human CYP3A4 and the metabolism of nefazodone and hydroxynefazodone by human liver microsomes and heterologously expressed enzymes. *European Neuropsychopharmacology*, 12, 91–100.
- Rotzinger, S., Bush, D.E.A. & Vaccarino, F.J.** (2002). Cholecystokinin modulation of mesolimbic dopamine function: Regulation of motivated behaviour. *Pharmacology & Toxicology*, 91, 404–413.
- Rush, B. & Dale, J.** (2002). Regional application of standardized performance indicators for supported employment programs. *Journal of Developmental Disabilities*, 9, 53–65.
- Rush, B. & Lord, J.** (2002). Disseminating a model for internal evaluation of supported employment programs for people with developmental disabilities. *Journal of Developmental Disabilities*, 9, 35–52.
- Rush, B., Shaw-Moxam, R. & Urbanoski, K.** (2002). Characteristics of people seeking help from specialized programs for the treatment of problem gambling in Ontario. *eGambling*. [On-line]. Available: <http://www.camh.net/egambling/>
- Ryder, A.G., Bagby, R.M. & Schuller, D.R.** (2002). The overlap of depressive personality disorder and dysthymia: A categorical problem with a dimensional solution. *Harvard Review of Psychiatry*, 10, 337–352.
- Sanford, M.** (2002). A group cognitive therapy programme reduced depressive episodes in at-risk adolescents at 12 months of follow-up. *Evidence-Based Mental Health*, 5, 78.
- Scapillato, D. & Manassis, K.** (2002). Cognitive-behavioral/interpersonal group treatment for anxious adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, 41, 739–741.
- Schutz, C.K., Polley, D., Robinson, P.D., Chalifoux, M., Macciardi, F., White, B.N., Holden, J.J.** (2002). Autism and the X chromosome: No linkage to microsatellite loci detected using the affected sibling pair method. *American Journal of Medical Genetics (Neuropsychiatric Genetics)*, 109, 36–41.
- Segal, Z.V., Teasdale, J.D. & Williams, J.M.G.** (2002). The mindfulness-based cognitive therapy adherence scale: Inter-rater reliability, adherence to protocol and treatment distinctiveness. *Clinical Psychology and Psychotherapy: An International Quarterly*, 9, 131–138.
- Segal, Z.V., Vincent, P. & Levitt, A.** (2002). Efficacy of combined and sequential psychotherapy in improving outcomes in the treatment of depression. *Journal of Psychiatry and Neuroscience*, 27, 281–290.
- Segman, R.H., Cooper-Kazaz, R., Macciardi, F., Goltser, T., Halfon, Y., Dobroborski, T. & Shalev, A.Y.** (2002). Association between the dopamine transporter gene and posttraumatic stress disorder. *Molecular Psychiatry*, 7, 903–907.
- Segman, R.H., Shapira, Y., Modai, I., Hamdan, A., Zislin, J., Heresco-Levy, U., Kanyas, K., Hirschmann, S., Karni, O., Finkel, B., Schlafman, M., Lerner, A., Shapira, B., Macciardi, F. & Lerer, B.** (2002). Angiotensin converting enzyme gene insertion/deletion polymorphism: Case-control association studies in schizophrenia, major affective disorder, and tardive dyskinesia and a family-based association study in schizophrenia. *American Journal of Medical Genetics (Neuropsychiatric Genetics)*, 114, 310–314.
- Sempos, C.T., Rehm, J., Crespo, C. & Trevisan, M.** (2002). No protective effect of alcohol consumption on coronary heart disease (CHD) in African Americans: Average volume of drinking over the life course and CHD morbidity and mortality in a U.S. national cohort. *Contemporary Drug Problems*, 29, 805–820.
- Seto, M.** (2002). Precisely defining pedophilia. *Archives of Sexual Behavior*, 31, 498–499.

- Shain, M.** (2002). The Neighbour at Work. *Occupational Health and Safety Canada*, 18, 52–58.
- Simich, L., Beiser, M. & Mawani, F.** (2002). Paved with good intentions: Canada's refugee destining policy and paths of secondary migration. *Canadian Public Policy*, 28, 597–607.
- Smart, R.G. & Mann, R.E.** (2002). Deaths and injuries from road rage: Cases in Canadian newspapers. *Canadian Medical Association Journal*, 167, 761–762.
- Smart, R.G. & Mann, R.E.** (2002). Is road rage a traffic safety problem? A review and research perspective. *Traffic Injury Prevention*, 3, 183–189.
- Smart, R.G. & Ogborne, A.** (2002). Beliefs about the cardiovascular benefit of wine in the adult population of Ontario. *American Journal of Drug and Alcohol Abuse*, 28, 371–378.
- Sobell, L., Sobell, M., Leo, G., Agrawal, S., Johnson-Young, L. & Cunningham, J.** (2002). Promoting self-change with alcohol abusers: A community-level mail intervention based on natural recovery studies. *Alcoholism: Clinical and Experimental Research*, 26, 936–948.
- Sproule, B.** (2002). Lithium in bipolar disorder: Can drug concentrations be used to predict therapeutic effect? *Clinical Pharmacokinetics*, 41, 639–660.
- Sproule, B., Naranjo, C. & Turksen, I.** (2002). Fuzzy-pharmacology: Theory and applications. *Trends in Pharmaceutical Sciences*, 23, 412–417.
- Strike, C., Challacombe, L., Myers, T. & Millson, P.** (2002). Needle exchange programs: Delivery and access issues. *Canadian Journal of Public Health*, 93, 339–343.
- Strike, C., Goering, P. & Wasylenki, D.** (2002). A population health framework for inner-city mental health. *Journal of Urban Health (Suppl. 1)*, 79, 13–20.
- Strike, C., Myers, T. & Millson, P.** (2002). Needle exchange: How the meanings ascribed to needles impact exchange practices and policies. *AIDS Education and Prevention*, 14, 126–137.
- Tauscher, J., Jones, C., Remington, G., Zipursky, R.B. & Kapur, S.** (2002). Significant dissociation of brain and plasma kinetics with antipsychotics. *Molecular Psychiatry*, 7, 317–321.
- Tauscher, J., Kapur, S., Verhoeff, N.P., Hussey, D.F., Daskalakis, Z.J., Tauscher-Wisniewski, S., Wilson, A.A., Houle, S., Kasper, S. & Zipursky, R.B.** (2002). Brain serotonin 5-HT_{1A} receptor binding in schizophrenia measured by positron emission tomography and [¹¹C]WAY-100635. *Archives of General Psychiatry*, 59, 514–520.
- Tauscher-Wisniewski, S., Kapur, S., Tauscher, J., Jones, C., Daskalakis, Z.J., Papatheodorou, G., Epstein, I., Christensen, B.K. & Zipursky, R.B.** (2002). Quetiapine: An effective antipsychotic in first-episode schizophrenia despite only transiently high dopamine-2 receptor blockade. *Journal of Clinical Psychiatry*, 63, 992–997.
- Tauscher-Wisniewski, S., Tauscher, J., Logan, J., Christensen, B., Mikulis, D. & Zipursky, R.** (2002). Caudate volume changes in first episode psychosis parallel the effects of normal ageing: A five year follow-up study. *Schizophrenia Research*, 58, 185–188.
- Tauscher-Wisniewski, S. & Zipursky, R.B.** (2002). The role of maintenance pharmacotherapy in achieving recovery from a first episode of schizophrenia. *International Review of Psychiatry*, 14, 284–292.
- Teasdale, J.D., Moore, R.G., Hayhurst, H., Pope, M., Williams, S. & Segal, Z.V.** (2002). Metacognitive awareness and prevention of relapse in depression: Empirical evidence. *Journal of Consulting and Clinical Psychology*, 70, 278–287.
- Thiyagarajan, M.M., Bigras, E., Van Tol, H.H.M., Hebert, T.E., Evanko, D.S. & Wedegaertner, P.B.** (2002). Activation-induced subcellular distribution of G alpha S is dependent on its unique N-terminus. *Biochemistry*, 41, 9470–9484.
- Toneatto, T.** (2002). Cognitive therapy for problem gambling. *Cognitive and Behavioral Practice*, 9, 191–200.
- Toneatto, T.** (2002). Metacognitive therapy for anxiety disorders: Buddhist psychology applied. *Cognitive and Behavioral Practice*, 9, 72–78.
- Toneatto, T. & Brennan, J.** (2002). Pathological gambling in treatment-seeking substance abusers. *Addictive Behaviors*, 27, 465–469.
- Toneatto, T., Skinner, W. & Dragonetti, R.** (2002). Patterns of substance use in treatment-seeking problem gamblers: Impact on treatment outcomes. *Journal of Clinical Psychology*, 58, 853–859.
- Turrone, P., Remington, G. & Nobrega, J.N.** (2002). The vacuous chewing movement (vcm) model of tardive dyskinesia revisited: Is there a relationship to dopamine D2 receptor occupancy? *Neuroscience and Biobehavioral Reviews*, 26, 361–380.
- Tyndale, R.F. & Sellers, E.M.** (2002). Genetic variation in CYP2A6-mediated nicotine metabolism alters smoking behavior. *Therapeutic Drug Monitoring*, 24, 163–171.
- Vanderkooy, J.D., Kennedy, S.H. & Bagby, R.M.** (2002). Antidepressant side effects in depression patients treated in a naturalistic setting: A study of bupropion, moclobemide, paroxetine, sertraline, and venlafaxine. *Canadian Journal of Psychiatry*, 47, 174–180.
- Vega, W.A., Aguilar-Gaxiola, S., Andrade, L., Bijl, R., Borges, G., Caraveo-Anduaga, J.J., DeWit, D.J., Herringa, S., Kessler, R.C., Kolody, B., Merikangas, K.R., Molnar, B.E., Walters, E.E., Warner, L.A. & Wittchen, H.-U.** (2002). Prevalence and age at onset for lifetime drug use in six nations: Results from the International consortium of psychiatric epidemiology. *Drug and Alcohol Dependence*, 68, 285–297.
- Vincent, J.B., Petek, E., Thevarkunnel, S., Kolosovari, D., Cheung, J., Patel, M. & Scherer, S.W.** (2002). The RAY1-ST7 tumour suppressor locus on chromosome 7Q31.3 represents a complex multi-transcript system. *Genomics*, 80, 245–256.
- Vingilis, E. & Macdonald, S.** (2002). Review: Drugs and traffic collisions. *Traffic Injury Prevention*, 3, 1–11.
- Wang, J.F., Azzam, J.E. & Young, L.T.** (2002). Valproate inhibits oxidative damage to lipid and protein in primary cultured rat cerebrocortical cells. *Neuroscience*, 116, 485–489.

- Wang, J.F., Sun, X., Chen, B. & Young, L.T. (2002). Lamotrigine increases gene expression of GABA_A receptor beta3 subunit in primary cultured rat hippocampus cells. *Neuropsychopharmacology*, 26, 415–421.
- Warnock, C. & Azadian, A. (2002). Cross-sensitivity between paroxetine and sertraline. *The Annals of Pharmacotherapy*, 36, 631–633.
- Weaver, H., Pinhas, L., Bryden, P., Ghabbour, N. & Toner, B.B. (2002). Gender role conflict and suicidal behavior in adolescent girls. *Canadian Journal of Psychiatry*, 47, 329–331.
- Weirs, R., Stacy, A., Ames, S., Noll, J., Sayette, M., Zack, M. & Krank, M. (2002). Implicit and explicit alcohol-related cognitions. *Alcoholism: Clinical and Experimental Research*, 26, 129–137.
- Westmaas, J., Ferrence, R. & Wild, C. (2002). Effects of gender in social control of smoking. *Health Psychology*, 21, 368–376.
- Wickrama, K.A.S., Beiser, M. & Kaspar, V. (2002). Assessing the longitudinal course of depression and economic integration of Southeast Asian refugees: An application of latent growth curve analysis. *International Journal of Methods in Psychiatric Research*, 11, 161–175.
- Wilson, L., Kahan, M., Liu, E., Brewster, J., Sobell, M.B. & Sobell, L.C. (2002). Physician behaviour towards male and female problem drinkers: A controlled study using simulated patients. *Journal of Addictive Diseases*, 21, 87–99.
- Winter, A.-L., deGuia, N., Ferrence, R. & Cohen, J. (2002). The relationship between body weight perceptions, weight control behaviours and smoking status among adolescents. *Canadian Journal of Public Health*, 93, 362–365.
- Wong, A.H.C., Klempan, T., Kawczynski, W., Barr, C.L., Lakatoo, S., Wong, M., Buckle, C., Trakalo, J., Boffa, E., Oak, J.N., Azevedo, M.-H., Dourado, A., Coelho, I., Macedo, A., Vicente, A., Valente, J., Ferreira, C.P., Pato, C.N. & Kennedy, J.L. (2002). The identification of candidate genes for psychosis in rat models, and possible association between schizophrenia and 14-3-3n gene. *Molecular Psychiatry*, 8, 156–166.
- Wood, G.E., Young, L.T., Reagan, L.P. & McEwen, B. (2002). Acute and chronic restraint stress alter the incidence of social conflict in male rats. *Hormones and Behaviour*, 43, 205–213.
- Wortley, S., Fischer, B. & Webster, C. (2002). Vice lessons: Results from the evaluation of the Toronto John School diversion program for prostitution offenders. *Canadian Journal of Criminology*, 44, 369–402.
- Wunderlich, G.R., Raymond R., DeSousa N.J., Nobrega J.N. & Vaccarino, F.J. (2002). Decreased cckb receptor binding in rat amygdala in animals demonstrating greater anxiety-like behaviour. *Psychopharmacology*, 164, 193–199.
- Xu, C., Goodz, S., Sellers, E.M. & Tyndale, R.F. (2002). Pharmacogenetics of CYP2A6. *Advanced Drug Delivery Reviews*, 54, 1245–1256.
- Xu, C., Rao, Y.S., Xu, B., Hoffmann, E., Jones, J.P., Sellers, E.M. & Tyndale, R.F. (2002). An in vivo pilot study characterizing the new CYP2A6*7, *8, and *10 alleles. *Biochemical and Biophysical Research Communications*, 290, 318–324.
- Yang, J., Bagby, R.M., Costa, P.T., Ryder, A.G. & Herbst, J.H. (2002). Assessing the DSM-IV structure of personality disorders with a sample of Chinese psychiatric patients. *Journal of Personality Disorders*, 16, 317–331.
- Young, A., Beitchman, J., Johnson, C., Douglas, L., Atkinson, L., Escobar, M. & Wilson, B. (2002). Young adult academic outcomes in a longitudinal sample of early identified language impaired and control children. *Journal of Child Psychology and Psychiatry*, 43, 1–11.
- Young, L.T. (2002). Neuroprotective effects of antidepressant and mood stabilizing drugs. *Journal of Psychiatry and Neuroscience*, 27, 8–9.
- Young, L.T., Bakish, D. & Beaulieu, S. (2002). The neurobiology of treatment response to antidepressants and mood stabilizing medications. *Journal of Psychiatry and Neuroscience*, 27, 260–265.
- Zack, M., Toneatto, T. & MacLeod, C.M. (2002). Anxiety and explicit alcohol-related memory in problem drinkers. *Addictive Behaviors*, 27, 331–343.
- Zack, M., Toneatto, T. & MacLeod, C.M. (2002). Explicit memory biases in problem drinkers with high and low psychiatric distress: Effects of negative affective and alcohol-related cues. *Addictive Behaviors*, 27, 331–343.
- Zangeneh, M., Sadeghi, N. & Sharp, N. (2002). Perceptions and Attitudes about Gambling, Problem Gambling and Help-Seeking Behaviour among Iranians in Toronto—A Small Qualitative Study. *Shiraz E-Medical Journal*, [On-line], 3. Available: <http://www.sums.ac.ir/~semj/vol3/nov2002/gamb.htm>.
- Zhang, H., Liu, X., Zhang, C., Mundo, E., Macciardi, F. & Holden, J.J.A. (2002). The Reelin gene as a risk factor for autistic spectrum disorders. *Molecular Psychiatry*, 7, 1012–1017.
- Zhang, W., Kilicarslan, T., Ramamoorthy, Y., Nolte, H., Tyndale, R.F. & Sellers, E.M. (2002). Inhibition of cytochrome P450s by antifungal imidazole derivatives. *Drug Metabolism and Disposition*, 30, 314–318.
- Zhang, W., Ramamoorthy, Y., Tyndale, R.F., Glicj, S.D., Maisonneuve, I.M., Kuehne, M.E. & Sellers, E.M. (2002). Metabolism of 18-methoxycoronaridine, an ibogaine analogue, to 18-hydroxycoronaridine by genetically variable CYP2C19. *Drug Metabolism and Disposition*, 30, 663–669.
- Zipursky, R.B. (2002). Psychotic recurrence after antipsychotic discontinuation (Letter to the editor). *American Journal of Psychiatry*, 159, 1441–1442.
- Zucker, K.J. (2002). A factual correction to Bartlett, Vasey, and Bukowski's (2000). *Sex Roles*, 46, 263–264. "Is gender identity disorder in children a mental health disorder?"
- Zucker, K.J. (2002). Associated features are irrelevant in deciding whether or not pedophilia is a mental disorder. *Archives of Sexual Behavior*, 31, 500–501.

- Zucker, K.J.** (2002). Evaluation of sex- and gender-assignment decisions in patients with physical intersex conditions: A methodological and statistical note. *Journal of Sex & Marital Therapy*, 28, 269–274.
- Zucker, K.J.** (2002). From the editor's desk: Receiving the torch in the era of sexology's renaissance (Editorial). *Archives of Sexual Behavior*, 31, 1–6.
- Zucker, K.J.** (2002). Intersexuality and gender identity differentiation. *Journal of Pediatric and Adolescent Gynecology*, 15, 3–13.
- Zucker, K.J.** (2002). Introduction to the special section on pedophilia: Concepts and controversy. *Archives of Sexual Behavior*, 31, 465–465.
- Zucker, K.J.** (2002). On the history of the International Academy of Sex Research. *Zeitschrift für Sexualforschung*, 15, 142–146.
- Zucker, K.J., Owen, A., Bradley, S.J. & Ameerliar, L.** (2002). Gender-dysphoric children and adolescents: A comparative analysis of demographic and behavioral problems. *Clinical Child Psychology and Psychiatry*, 7, 398–411.